TracMow
REMOTE CONTROL SLOPE MOWERS
MADE IN ITALY

A PROUD HISTORY AND A BRIGHT FUTURE.

TracMow Remote Control Slope Mowers are built in Italy by Barbieri Group, a leader in the development of radio controlled power equipment. Founded in 1958 in northern Italy, Barbieri is a family owned company with a global reach, currently exporting to more than 30 countries in Europe, North Africa, Asia, and the Americas.

BARBIERI GROUP

FOLLOW TRACMOW ONLINE!

facebook.com/TracMow

youtube.com/TracMow

@tracmow

FEATURES

TRACKS OFFER MORE THAN JUST TRACTION

LOW GROUND PRESSURE: Compared to tires, tracks offer low compacting pressure. In areas where the ground is soft or wet, they won't leave deep grooves in the ground and are less likely damage terrain.

SMOOTH RIDE, EVEN CUT: Instead of tires bouncing over uneven ground, TracMow spans ruts and holes, allowing it to provide **an evenly mowed surface regardless of the terrain**.

TRACTION & STABILITY: On wheeled machines, pneumatic tires can act like springs bouncing over bumps — not a good situation on steep slopes. Tracks offer **unbeatable traction and stability on slopes**.

EASY TO DRIVE

TracMow's highly-intuitive Remote Control unit takes little time to master. **Every function can be performed via remote** — starting the engine, raising/lowering the deck, engaging the PTO, turning on the lights.

SAFE

With an **operational range up to 650 ft**, workers can stay safely away from dangerous slopes, exhaust, dust, and engine noise. **Safety beacon lights** and **LED headlights are standard**.

EFFICIENT

Replace an entire crew wearing bulky safety gear with a single, comfortable TracMow operator. At 2.5 mph (max speed 5 mph), TracMow will clear nearly **an acre per hour**, **as much as 8.5 workers with string trimmmers.**

ECO-FRIENDLY

TracMow's sealed electric transmission system **prevents any oil leaks,** making it perfectly safe to use in nature reserves or near drinking water reservoirs. It **requires no maintenance, oil, or filters**.

NO TRAILER REQUIRED

Models **70** & **80** are sized to easily **fit in standard pickup truck beds or vans — no need for a trailer**. One operator can safely load, haul, and unload TracMow at the job site.

TracMow
REMOTE CONTROL SLOPE MOWERS

ROTARY BRUSH MOWERS

70EVO • 80EVO • 95EVO

STANDARD FEATURES

- CUTTING HEIGHT ADJUSTMENT VIA REMOTE CONTROL (1.2”–5.9”)
- 2 SWING-AWAY MULCHING BLADES
- OVERPOWERED COMMERCIAL SERIES ENGINES FROM KAWASAKI & VANGUARD
- CLIMBS & HOLDS SLOPES UP TO 100% (45º)
- COMPACT SIZE FITS IN STANDARD PICKUP BEDS & VAN (MODELS 70 & 80)
- LOW PROFILE FOR MOWING UNDER STRUCTURES LIKE SOLAR PANELS
- QUALITY CUT IN FORWARD & REVERSE (AVOIDS RISKY TURNS ON SLOPES)

TracMow
REMOTE CONTROL SLOPE MOWERS

ELECTRIC ROTARY BRUSH MOWER

ePOWER 70EVO



STANDARD FEATURES

- CUTTING HEIGHT ADJUSTMENT VIA REMOTE CONTROL (1.2”–5.9”)
- 2 SWING-AWAY MULCHING BLADES
- FULLY ELECTRIC MOTOR W/ AUTOMATIC BRAKES
- VARIABLE BLADE SPEED
- CLIMBS & HOLDS SLOPES UP TO 100% (45º)
- COMPACT SIZE FITS IN STANDARD PICKUP BEDS & VANS
- LOW PROFILE FOR MOWING UNDER LOW STRUCTURES LIKE SOLAR PANELS
- QUALITY CUT IN FORWARD & REVERSE (AVOIDS RISKY TURNS ON SLOPES)
- HOUR METER
- CRUISE CONTROL (5 SPEEDS)
- LOW MAINTENANCE (JOINT LUBRICATION ONLY)

GPS SERVO & RTK ANTENNA

FEATURES

- LOCATION PRECISION WITHIN 1 METER
- DEFINED & REPETATIVE PATTERN CUTTING
- REDUCES OPERATOR FATIGUE
- SMART PHONE CONNECTIVITY (REQUIRES ANTENNA)
- ABILITY TO SAVE LOCATIONS & PATHS FOR FUTURE RECALL (REQUIRES ANTENNA)
- SEMI-AUTONOMOUS OPERATION

TracMow
REMOTE CONTROL SLOPE MOWERS

MODEL SPECS

ePower 70EVO

80EVO

70EVO

95EVO

	ePower 70EVO	70EVO	80EVO	95EVO
CUTTING WIDTH	28 inches (70 cm)	28 inches (70 cm)	32 inches (80 cm)	38 inches (95 cm)
CUTTING HEIGHT	1.2" - 5.9"			
ENGINE	Electric	Vanguard 3567	Kawasaki FS481V	Kawasaki FS730V EFI
DISPLACEMENT	–	570 cc	603 cc	726 cc
POWER	10 kW	18 hp	13 hp	26 hp
FUEL TANK	n/a	4.2 gallons	4.2 gallons	8.5 gallons
CUTTING SYSTEM	Mulching			
BLADES	2 Swinging Blades			
VEG./BRUSH DIAM.	Grass/Light Brush (0.75 in.)			
PRODUCTIVITY	0.74 acres/hour	0.74 acres/hour	0.84 acres/hour	0.99 acres/hour
REPLACES*	6.5 workers/hour	6.5 workers/hour	7.4 workers/hour	8.6 workers/hour
DIMENSIONS	47.2 x 53.1 x 25.6 in.	47.5 x 51.6 x 29.6 in.	48.8 x 53.1 x 29.9 in.	53.5 x 57.9 x 32.5 in.
NET WEIGHT	794 lbs	815 lbs	838 lbs	1,003 lbs
COMPACTING PRESS.	1.95 lbs/in^2	1.85 lbs/in^2	1.92 lbs/in^2	2.39 lbs/in^2

TracMow
REMOTE CONTROL SLOPE MOWERS

ACCESSORIES

REAR POWER LIFT

SNOW BLADE



FLEX TRIMMER

FLEX CUT

MIXTY SPRAYER



GPS SERVO DRIVE

ACCESSORIES	ePower 70EVO	70EVO	80EVO/ 80 EP	95EVO
Rear Power Lift System	✓	✓	✓	✓
Snow Blade 51in (Requires Rear Power Lift System)		✓	✓	
Flex Trimmer (Requires Rear Power Lift System)	✓	✓	✓	✓
Flex Cut		✓	✓	
MiXTY- Sprayer System		✓	✓	✓
Multi-Function Upper Storage Box		✓	✓	✓
GPS Servo Drive (Special Order Only)	✓	✓	✓	✓
RTK Portable Antenna	✓	✓	✓	✓

TracMow
REMOTE CONTROL SLOPE MOWERS

TracMow

REMOTE CONTROL SLOPE MOWERS

Dealer information:

MADE IN ITALY

www.tracmow.com

MAX DISTRIBUTING
1331 Tandem Ave NE, Salem, OR 97301 • 1-800-777-5526